



# SOLTHERM SITE DIARY

To be handed over to BOLIX inspector upon sign off

Project details:	
REF Number:	
Customer Name:	
Site address:	
System type:	
Winter application:	
Insulation thickness:	
Reveal thickness:	
Substrate check: <i>(pull-off test)</i>	

Installer details:	
Name:	
Address:	
Contact No:	
Foreman Name:	
Bolix REG No:	
SEI reg No:	


**Deliveries**

No	Date:	DD No:	Notes:
1			
2			
3			
4			
5			
6			
7			
8			
9			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




Works description	status : (s,c,f)	Material used	Notes
<b>1 Substrate preparation</b>			
<b>2 INSULATION installation</b>			
plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
starter track			
beads and trims			
mechanical fixings <i>(is adhesive dry as per manual?)</i>			
non-coldbridge cups			
EPS junctions <i>(are all gaps filled?)</i>			
EPS rasping <i>(do not level with adhesive!)</i>			
corner beads reveals <i>(is proper thickness applied?)</i>			
other			
<b>3 Reinforcing coat</b> <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
<b>4 Primer</b> <i>(is base-coat fully dry?)</i>			
<b>5 Plaster coat</b> <i>(is primer fully dry? sun, rain?)</i>			
<b>6 Top coat (if applicable)</b> <i>(is plaster fully dry? sun, rain?)</i>			
<b>7 Other (describe)</b>			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




	Works description	status : (s,c,f)	Material used	Notes
1	Substrate preparation			
2	INSULATION installation			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	Reinforcing coat <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	Primer <i>(is base-coat fully dry?)</i>			
5	Plaster coat <i>(is primer fully dry?sun, rain?)</i>			
6	Top coat (if applicable) <i>(is plaster fully dry?sun, rain?)</i>			
7	Other (describe)			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




	Works description	status : (s,c,f)	Material used	Notes
1	<b>Substrate preparation</b>			
2	<b>INSULATION installation</b>			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	<b>Reinforcing coat</b> <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	<b>Primer</b> <i>(is base-coat fully dry?)</i>			
5	<b>Plaster coat</b> <i>(is primer fully dry? sun, rain?)</i>			
6	<b>Top coat (if applicable)</b> <i>(is plaster fully dry? sun, rain?)</i>			
7	<b>Other (describe)</b>			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




	Works description	status : (s,c,f)	Material used	Notes
1	<b>Substrate preparation</b>			
2	<b>INSULATION installation</b>			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	<b>Reinforcing coat</b> <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	<b>Primer</b> <i>(is base-coat fully dry?)</i>			
5	<b>Plaster coat</b> <i>(is primer fully dry? sun, rain?)</i>			
6	<b>Top coat (if applicable)</b> <i>(is plaster fully dry? sun, rain?)</i>			
7	<b>Other (describe)</b>			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




	Works description	status : (s,c,f)	Material used	Notes
1	<b>Substrate preparation</b>			
2	<b>INSULATION installation</b>			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	<b>Reinforcing coat</b> <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	<b>Primer</b> <i>(is base-coat fully dry?)</i>			
5	<b>Plaster coat</b> <i>(is primer fully dry?sun, rain?)</i>			
6	<b>Top coat (if applicable)</b> <i>(is plaster fully dry?sun, rain?)</i>			
7	<b>Other (describe)</b>			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




	Works description	status : (s,c,f)	Material used	Notes
1	Substrate preparation			
2	INSULATION installation			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	Reinforcing coat <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	Primer <i>(is base-coat fully dry?)</i>			
5	Plaster coat <i>(is primer fully dry?sun, rain?)</i>			
6	Top coat (if applicable) <i>(is plaster fully dry?sun, rain?)</i>			
7	Other (describe)			



**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




	Works description	status : (s,c,f)	Material used	Notes
1	<b>Substrate preparation</b>			
2	<b>INSULATION installation</b>			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	<b>Reinforcing coat</b> <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	<b>Primer</b> <i>(is base-coat fully dry?)</i>			
5	<b>Plaster coat</b> <i>(is primer fully dry? sun, rain?)</i>			
6	<b>Top coat (if applicable)</b> <i>(is plaster fully dry? sun, rain?)</i>			
7	<b>Other (describe)</b>			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




	Works description	status : (s,c,f)	Material used	Notes
1	<b>Substrate preparation</b>			
2	<b>INSULATION installation</b>			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	<b>Reinforcing coat</b> <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	<b>Primer</b> <i>(is base-coat fully dry?)</i>			
5	<b>Plaster coat</b> <i>(is primer fully dry? sun, rain?)</i>			
6	<b>Top coat (if applicable)</b> <i>(is plaster fully dry? sun, rain?)</i>			
7	<b>Other (describe)</b>			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




	Works description	status : (s,c,f)	Material used	Notes
1	<b>Substrate preparation</b>			
2	<b>INSULATION installation</b>			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	<b>Reinforcing coat</b> <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	<b>Primer</b> <i>(is base-coat fully dry?)</i>			
5	<b>Plaster coat</b> <i>(is primer fully dry? sun, rain?)</i>			
6	<b>Top coat (if applicable)</b> <i>(is plaster fully dry? sun, rain?)</i>			
7	<b>Other (describe)</b>			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




	Works description	status : (s,c,f)	Material used	Notes
1	<b>Substrate preparation</b>			
2	<b>INSULATION installation</b>			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	<b>Reinforcing coat</b> <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	<b>Primer</b> <i>(is base-coat fully dry?)</i>			
5	<b>Plaster coat</b> <i>(is primer fully dry? sun, rain?)</i>			
6	<b>Top coat (if applicable)</b> <i>(is plaster fully dry? sun, rain?)</i>			
7	<b>Other (describe)</b>			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




	Works description	status : (s,c,f)	Material used	Notes
1	<b>Substrate preparation</b>			
2	<b>INSULATION installation</b>			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	<b>Reinforcing coat</b> <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	<b>Primer</b> <i>(is base-coat fully dry?)</i>			
5	<b>Plaster coat</b> <i>(is primer fully dry?sun, rain?)</i>			
6	<b>Top coat (if applicable)</b> <i>(is plaster fully dry?sun, rain?)</i>			
7	<b>Other (describe)</b>			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




	Works description	status : (s,c,f)	Material used	Notes
1	<b>Substrate preparation</b>			
2	<b>INSULATION installation</b>			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	<b>Reinforcing coat</b> <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	<b>Primer</b> <i>(is base-coat fully dry?)</i>			
5	<b>Plaster coat</b> <i>(is primer fully dry? sun, rain?)</i>			
6	<b>Top coat (if applicable)</b> <i>(is plaster fully dry? sun, rain?)</i>			
7	<b>Other (describe)</b>			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)




	Works description	status : (s,c,f)	Material used	Notes
1	Substrate preparation			
2	INSULATION installation			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	Reinforcing coat <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	Primer <i>(is base-coat fully dry?)</i>			
5	Plaster coat <i>(is primer fully dry?sun, rain?)</i>			
6	Top coat (if applicable) <i>(is plaster fully dry?sun, rain?)</i>			
7	Other (describe)			

**Daily site activities**

Date:		Temp:		Precipitation:	
		at 8:30 a.m.			

elevation:  
(please mark)



	Works description	status : (s,c,f)	Material used	Notes
1	<b>Substrate preparation</b>			
2	<b>INSULATION installation</b>			
	plinth <i>(remember to back-wrap the mesh, special adhesive to be used)</i>			
	starter track			
	beads and trims			
	mechanical fixings <i>(is adhesive dry as per manual?)</i>			
	non-coldbridge cups			
	EPS junctions <i>(are all gaps filled?)</i>			
	EPS rasping <i>(do not level with adhesive!)</i>			
	corner beads			
	reveals <i>(is proper thickness applied?)</i>			
	other			
3	<b>Reinforcing coat</b> <i>(do not forget mesh overlaps and reinforcing in ops)</i>			
4	<b>Primer</b> <i>(is base-coat fully dry?)</i>			
5	<b>Plaster coat</b> <i>(is primer fully dry?sun, rain?)</i>			
6	<b>Top coat (if applicable)</b> <i>(is plaster fully dry?sun, rain?)</i>			
7	<b>Other (describe)</b>			